




1. Imidazo [1,2-a] pyridines of the formula :



5 in which Y represents a hydrogen or halogen atom or a C₁₋₄ alkyl radical, Z represents a naphthyl radical or a radical



in which each of X₁ and X₂ independently of one


10 another is a hydrogen or halogen atom, a C₁₋₄ alkoxy radical, a C₁₋₆ alkyl radical or CF₃, CH₃S, CH₃SO₂ or NO₂ and each of R₁ and R₂ independently of one another represents a hydrogen atom, a straight or branched C₁₋₅ alkyl radical which is unsubstituted or substituted by one or more halogen atoms, hydroxyl, N(C₁₋₄ alkyl)₂, carbamoyl or C₁₋₄ alkoxy radicals, an allyl radical, a propargyl radical, a C₃₋₆ cycloalkyl radical, a benzyl radical or a phenyl radical, not both R₁ and R₂ being hydrogen, or NR₁R₂ represents a heterocyclic ring containing from 3 to 6 carbon atoms, or a heterocyclic ring of the formula, , in which X is O, S, CHOR' or >NR, R' being hydrogen or benzyl and R being hydrogen, a C₁₋₄ alkyl radical or phenyl which is unsubstituted or substituted by methoxy or a halogen atom, and their addition salts with pharmacologically acceptable acids.



Kaplan et al
10/22/61 540121
Laurie, J. B.
127
323

a 2. An imidazo[1,2-a]pyridine according to claim ⁹/₁ in which R₁ and R₂ are both alkyl radicals.


3. An imidazo[1,2-a]pyridine according to claim 1, in which Y is in the 6-position.

a ³/₄ 2. An imidazo[1,2-a]pyridine according to claim ²/₁ in which Y is chlorine or methyl.

5. An imidazo[1,2-a]pyridine according to claim 1, in which Z is the radical X₁-, where X₁ has the meaning given in claim 1.

6. An imidazo[1,2-a]pyridine according to claim 5, in which Z is the radical Hal- or CH₃-.

7. An imidazo[1,2-a]pyridine according to claim 1, in which R₁ and R₂ are both alkyl, Y is halogen or methyl in the 6-position, and Z is the radical

X1  in which X is halogen or methyl.

8. A pharmaceutical composition, comprising
a compound as specified in any one of claims 1 to 7,
in association with a suitable excipient.

all
a'